

TECHNICAL GUIDE

HERITAGE FLUSH DOOR

HERITAGE WINDOW COLLECTION

BY DECEUNINCK

Like the award winning flush window, the Heritage Flush Door will provide your home with the kind of timeless style and beauty you would expect from a market-leading product.

#BestInClass performance means there is substance to match that style, giving you long-lasting peace of mind.

A



With their 19th century charm and 21st century attributes, our stunning Heritage flush windows and doors will transform your property into the classic chocolate box home you have always dreamed of.

deceuninck

Deceuninck Limited

Stanier Road • Porte Marsh Industrial Estate • Calne • Wiltshire SN11 9PX
T 01249 816 969 • F 01249 815 234
deceuninck.ltd@deceuninck.com • www.deceuninck.co.uk

January 2019

Document No:
82273
Heritage Flush Door

Weather Performance

Internally we've adopted our tried and tested high performance multifunctional weatherseal. With a continuous seal welded at the corners, air tightness is always maintained meaning no loss of comfort inside the home.

Externally a new dual seal combination maximises water tightness and conceals hardware.

An integral drainage slope encourages water to drain away quickly and easily.


Security

Deceuninck supplies its Heritage flush door system with a comprehensive set of dedicated hardware as standard. Designed in conjunction with a market leading hardware brand, all components are 100% bespoke, giving you a level of performance and security that cannot be matched.

For the best looking and best performing flush door, fit hardware supplied and approved by Deceuninck.

Insulation

Heritage flush door whilst robust still offers a level of insulation far in excess of today's regulatory requirements. Designed to imitate products from the past, flush door does more than to replicate aesthetics, it will enhance the comfort of your home for years to come.



Weather test results

		French Door		Single Door	
		Full Frame	Low Threshold	Full Frame	Low Threshold
	Size Tested	1990x2205	1990x2165	1030x2205	1030x2165
Air Permeability	Class	A4	A4	A4	A4
	Rating	600 Pa	600 Pa	600 Pa	600 Pa
Water tightness	Class	E1050	3A	E1050	9A
	Rating	1050 Pa	100 Pa	1050 Pa	600 Pa
Wind Resistance	Class	A3	A3	A3	A3
	Rating	1200 Pa	1200 Pa	1200 Pa	1200 Pa




U-Values

4/20/4 Argon Cavity		4/14/4/14/4 Argon Cavity	
U_g 1.219	U_g 1.070	U_g 0.683	U_g 0.591
U_d 1.4	U_d 1.3	U_d 1.1	U_d 1.0

DSER's

4/20/4 Argon Cavity	4/14/4/14/4 Argon Cavity
B -3	A 5





Heritage Colour Collection

Chartwell Green White PVC inside	Chartwell Green Chartwell Green inside	Agate Grey Heritage White inside	White Grain White Grain inside	White Grain White PVC inside	Black Ash Black Ash inside	Black Ash White PVC inside	Black Ash Heritage White inside
Classic Cream White PVC inside	Classic Cream Classic Cream inside	Irish Oak White PVC inside	Irish Oak Irish Oak inside	Heritage White Heritage White inside	Heritage White English Oak inside	English Oak English Oak inside	English Oak Heritage White inside
Rosewood Rosewood inside	Rosewood White PVC inside	Nut Tree Nut Tree inside	Nut Tree White PVC inside	Anthracite Grey Grained White PVC inside	Anthracite Smooth Heritage White inside	Anthracite Grey Grained Anthracite Grey Grained inside	Anthracite Smooth Matt Anthracite Smooth Matt inside
Ice Cream Heritage White inside	Golden Oak White PVC inside	Golden Oak Golden Oak inside	26 colourways from stock 26 colourways from stock complete with matching ancillaries, trims and accessories.				

- Authentic timber and aluminium look foil options
- Extremely durable
- 10 year manufacturer's guarantee
- Each colour has its own matching ancillaries, trims and accessories
- Available from stock



deceuninck

Deceuninck Limited

Stanier Road • Porte Marsh Industrial Estate • Calne • Wiltshire SN11 9PX
T 01249 816 969 • F 01249 815 234
deceuninck.ltd@deceuninck.com • www.deceuninck.co.uk

January 2019

Document No:
82273
Heritage Flush Door